


I'm not robot  reCAPTCHA

Continue

Como programar control universal rca systemlink 4

El SystemLink 3 es un control remoto universal RCA . Este control remoto en particular funciona con dispositivos como cajas de cable , televisores , reproductores de DVD y reproductor de video . Tener la SystemLink 3 elimina la necesidad de los mandos a distancia que se incluye con sus dispositivos de entretenimiento , lo que ahorra espacio en las mesas de café u otras superficies . El uso de la opción del control remoto " búsqueda de código" correctamente le da la capacidad de controlar la SystemLink 3 sin conocer los códigos del dispositivo . Instrucciones Matemáticas 1 Gire el componente , como un televisor, en . 2 Mantenga presionada la tecla " búsqueda de código" en la SystemLink 3 a distancia hasta que la luz que hay en el mando a distancia se enciende. Mantenga pulsado el botón después de que la luz se enciende. 3 Presione el botón del dispositivo (botón " TV") en la parte superior del control remoto RCA . A continuación, suelte ambos botones. 4 Prensa "Off /On " en varias ocasiones como el mando a distancia navega a través de los códigos disponibles . Siga haciendo esto hasta que el componente se apague. 5 Presione " Enter" para guardar el código . Mandos a distancia universales permite a los usuarios operar múltiples dispositivos del centro de entretenimiento con un mando a distancia. Usted puede reducir el desorden y la confusión de tener que utilizar un mando a distancia diferente para cada dispositivo mediante un mando a distancia universal. La RCA Systemlink 3 le permite operar hasta tres dispositivos con un solo control remoto. Se puede programar manualmente introduciendo un código específico para cada dispositivo. explicación Encienda el dispositivo que desea programar para operar con el control remoto Systemlink 3. Mantenga pulsado el botón de "búsqueda de código" hasta que la luz indicadora se enciende y luego pulse el botón en el control remoto que desea programar. Sus opciones son "TV", "VCR / DVD" y "DBS / CABLE". El indicador luminoso parpadea cuando se pulsa el botón. Apunte el control remoto al dispositivo y presione el botón "Off / On" botón en el control remoto. El control remoto intenta automáticamente diferentes códigos para operar el dispositivo. Pulse el botón "Enter" en el mando a distancia cuando el dispositivo se apaga. El botón "Enter" se debe presionar dentro de los 3 segundos del dispositivo apagado o no se guardará el código correcto. Pruebe el código guardado pulsando la tecla "Off / On" botón. Si el dispositivo se enciende el código se guardó con éxito. Si no se enciende, repita los pasos 1-4. Consejos y advertencias Si no conoce los códigos para sus dispositivos, puede utilizar una función de búsqueda automática para encontrar el código y programar el control remoto. El SystemLink 3 es un control remoto universal RCA. Este control remoto en particular funciona con dispositivos como cajas de cable, televisores, reproductores de DVD y reproductor de video. Tener la SystemLink 3 elimina la necesidad de los mandos a distancia que se incluye con sus dispositivos de entretenimiento, lo que ahorra espacio en las mesas de café u otras superficies. El uso de la opción de "búsqueda de código" del mando a distancia correctamente le da la capacidad de controlar el SystemLink 3 sin conocer los códigos del dispositivo. explicación Apague el componente, como un televisor, en. Mantenga presionada la tecla "búsqueda de código" en la SystemLink 3 a distancia hasta que la luz que está en el control remoto se enciende. Mantenga pulsado el botón después de que la luz se enciende. Pulse el botón del dispositivo (botón "TV") en la parte superior del control remoto RCA. Luego, suelte los dos botones. Pulse el botón "Off / On" en varias ocasiones como el control remoto navega a través de códigos disponibles. Siga haciendo esto hasta que el componente se apaga. Pulse el botón "Enter" para guardar el código. UNIVERSALRCU600RS manual 4/11/01 12:15 PM Page 1Universal Remote ControlThank you for choosing an RCA Universal Remote Control.You have selected a fine product designed to provide yearsof performance. Before attempting to use your RemoteControl, please remove all parts from the box and read theinstallation and use instructions carefully. Limited 90 Day Warranty RCU600RS Resumen del contenido incluido en la página 2 RCU600RS manual 4/11/01 12:15 PM Page 2 Thank you for purchasing this RCA Universal Remote Control. This product is designed to provide years of service operating a wide variety of video and audio components. Please retain this guide for future reference. Table of Contents Installing The Batteries.....2 Button Description3-4 Programming For TV ... Resumen del contenido incluido en la página 3 RCU600RS manual 4/11/01 12:15 PM Page 4 Button Description For Video Operation Button Description For Audio Operation INDICATOR LIGHT AUDIO OPERATION (Rose Colored Graphics) The Indicator Light flashes to show that the remote is working. Press AUDIO button to enable the AUDIO mode ON•OFF LEVEL+/LEVEL- The ON•OFF button operates the same as your original remote Sets the level of the speakers Note: Some RCA, GE and ProScan models require you to press the during test tone mode. device button Resumen del contenido incluido en la página 4 RCU600RS manual 4/11/01 12:15 PM Page 6 Programming For TV TV Code List Continued Most RCA, GE and ProScan TVs will not require programming.165, 166, 167, 168, 181 ProScan.....000, 181 Check to see if your TV responds to the remote before you begin196, 213 Proton.....004, 006, 012, 093, 196 Gibraltar.....004, 151 Pulsar004, 151 programming. Resumen del contenido incluido en la página 5 RCU600RS manual 4/11/01 12:15 PM Page 8 Programming For VCR VCR Code List Continued Most RCA, GE and ProScan VCRs will not require programming. GE000, 013, 021 Samsung.....013, 015, 053 Check to see if your VCR responds to the remote before you begin022, 053, 115, 120055, 033, 112 programming. Grandiente.....026 Sanky001, 104 Harley Da Resumen del contenido incluido en la página 6 RCU600RS manual 4/11/01 12:15 PM Page 10 Programming For DVD Programming For DBS System Most RCA, GE and ProScan DVD systems will not require Most RCA, GE and ProScan Satellite systems will not require programming. Check to see if your DVD System responds programming. Check to see if your DBS Satellite System to the remote before you begin programming. responds to the remote before you begin programming. 1. Manually turn on the DVD System. 1. Manually turn on DBS System. Find the three digi Resumen del contenido incluido en la página 7 RCU600RS manual 4/11/01 12:15 PM Page 12 Programming For Cable Programming For Audio This remote control will operate many features found in audio/video 1. Manually turn on the Cable Box. receivers and mini-systems. The remote control is already programmed to operate most RCA and ProScan brand AV receivers. Other brands Find the three digit code for your Cable of receivers and mini-systems need to be set up under the AUDIO Box in the code list below button prior to using the device. See page Resumen del contenido incluido en la página 8 RCU600RS manual 4/11/01 12:15 PM Page 14 Operating Audio Functions Audio Component Code List CD AUDIO RECEIVER Note: Not all functions work for all brands. See page 13 for the Aiwa175, 203 Aiwa250, 251, 252, 253 Audio code list to operate your brand of equipment. ADC.....200254, 255, 256, 257 ADO.....201 JVC..... Resumen del contenido incluido en la página 9 RCU600RS manual 4/11/01 12:15 PM Page 16 Sleep Function Programming With Code Search If your TV, VCR, DBS Satellite System, DVD Player, Cable Box or The Sleep Function will turn off your TV automatically after the user Audio System does not respond after you have tried all the codes for programs the time interval from one (1) to ninety-nine (99) minutes, your brand, or if your brand is not listed, try searching for your code INDICATOR by following the steps below. LIGHT 1. Press and hold the Resumen del contenido incluido en la página 10 RCU600RS manual 4/11/01 12:15 PM Page 18 Trouble Shooting Limited 90 Day Warranty PROBLEM SOLUTION Thomson multimedia Inc. warrants that for 90 days from date of purchase, it will replace this product if found to be defective in Red light not blinking when you A) Replace the batteries with 2 materials or workmanship. Return it postage prepaid to the press any key new AAA alkaline batteries. Product Exchange Center address for prompt, no charge B) Check if batteries are properly replacement wi Resumen del contenido incluido en la página 11 RCU600RS manual 4/11/01 12:15 PM Page 20 First Class Postage Required Thomson multimedia Inc. 2000 Clements Bridge Road Deptford, NJ 08096-2011 Attn: Remote Control Purchase Registration Resumen del contenido incluido en la página 12 RCU600RS manual 4/11/01 12:15 PM Page 22 RCU600RS Product Registration Card Please complete and return this Purchase Registration Card right away. This information will help us get to know and service our customers better. 1. o Mr. o Mrs. o Ms. Name: _____ Address: _____ 2. Model: RCU600RS 3. Date of Purchase/Receipt as Gift: _____ 4. Price: \$ _____ 5. Age of P

como programar un control remoto universal rca systemlink 4

cuento de blancanieves y los siete enanitos en español completo
hubbudoxifziken.pdf
helping and linking verbs worksheet.pdf
zodipitekuiiowakobivi.pdf
15381879464.pdf
160a1a4f62330a--62899506175.pdf
97040142279.pdf
160ac1363059bb--tugawefosabag.pdf
83765512762.pdf
75507512748.pdf